rubber - mobile combination units - Portable combination unit - solid rubber




Product description	
BALS-Prd.-Nr	5201558
EAN	4024941948470
Product category	Distributor, solid rubber, portable, Distributor, solid rubber, portable
Specification/Norm	DIN EN 61439-2, DIN EN 61439-2
Type of RCD	Type A, Type A
Protection degree	IP44, IP44
Colour of appliance	Housing bottom simular black RAL 9017, Housing top simular black RAL 9017, Housing bottom simular black RAL 9017, Housing top simular black RAL 9017

CEE-Norm UK Ltd. Unit 2, Highbridge Court, Stafford Park 1, TF3 3BD Telford UK
phone: +44 1952 212700 / fax: +44 1952 212711 / email: sales@ceenorm.co.uk

Product description	
Height	297mm, 297mm
Width	250mm, 250mm
Depth	210mm, 210mm
RDF factor	0.69, 0.69
Rated current InA	32, 32

Logistics data	
Weight/pcs	6.704 kg / Piece
Packaging	Carton
Content amount	1 ST
EAN	4024941948470
Length	370 mm
Width	360 mm
Height	325 mm
Weight	7.165 kg
Volume	39,060 ccm

CEE-Norm UK Ltd. Unit 2, Highbridge Court, Stafford Park 1, TF3 3BD Telford UK
phone: +44 1952 212700 / fax: +44 1952 212711 / email: sales@ceenorm.co.uk





CEE-Norm UK Ltd. Unit 2, Highbridge Court, Stafford Park 1, TF3 3BD Telford UK
phone: +44 1952 212700 / fax: +44 1952 212711 / email: sales@ceenorm.co.uk