rubber - mobile combination units - Portable combination unit - solid rubber



Product description	
BALS-Prd.-Nr	523291
EAN	4024941947954
Product category	Distributor, solid rubber, portable
Specification/Norm	DIN EN 61439-2
Protection degree	IP44
Colour of appliance	Housing bottom simular black RAL 9017, Housing top simular black RAL 9017
Height	297mm
Width	250mm


CEE-Norm UK Ltd. Unit 2, Highbridge Court, Stafford Park 1, TF3 3BD Telford UK
phone: +44 1952 212700 / fax: +44 1952 212711 / email: sales@ceenorm.co.uk

Product description	
Depth	210mm
RDF factor	0.72
Rated current InA	32

Logistics data	
Weight/pcs	7.874 kg / Piece
Packaging	Carton
Content amount	1 ST
EAN	4024941947954
Length	370 mm
Width	360 mm
Height	325 mm
Weight	8.335 kg
Volume	39,060 ccm

Metal surcharges	
Surcharge type	Kupfer
Materialbase	150 EUR per 100 Kilogram
Included weight of material	0.576 Kilogram per 1 Piece

CEE-Norm UK Ltd. Unit 2, Highbridge Court, Stafford Park 1, TF3 3BD Telford UK
phone: +44 1952 212700 / fax: +44 1952 212711 / email: sales@ceenorm.co.uk





CEE-Norm UK Ltd. Unit 2, Highbridge Court, Stafford Park 1, TF3 3BD Telford UK
phone: +44 1952 212700 / fax: +44 1952 212711 / email: sales@ceenorm.co.uk