


High 48 V track
Article no. 88488280



Tender	
High 48 V track, black, Rectangular.Surface mounting, Ceiling-/Wall-mounted Mounting method: Surface mounting, Place of installation: Ceiling-/Wall-mounted, Material: Aluminium, Protection class: (EN 61140) II, Voltage: 48 V DC.	

Article data	
Article no.	88488280
GTIN	4255752521204
Short description	High 48 V track
Material	Aluminium
Colour	Black
Type of surface	Structure
Shape	Rectangular
Length	2,000 mm
Width	26.2 mm
Hight	53 mm
Weight	2.050 kg
stamp	ENEC
Conformance	CE

High 48 V track
Article no. 88488280

Packing data	
Gross weight	2.065 kg
Length of packaging	2,002 mm
Packaging width	54 mm
Packaging hight	27 mm
Disposal at end of life	This product must not be disposed of with household waste. You are obliged, to dispose of such electrical waste separately. By disposing of electrical waste and other old or defective electronics separately, you support recycling or other forms of re-use. In that way you help to take care and to avoid that harmful substances get into the environment.

High 48 V track

Article no. 88488280

Optional accessories
Article no.: 88483080 End piece for 48 V track DALI / without cable hole Dimensions: 2 mm x 26.2 mm x 53.6 mm https://www.brumberg.com/fileadmin/products/Datenblatt_88483080_2021_DE.pdf
Article no.: 88483180 End piece for 48 V DALI track / with cable hole Dimensions: 2 mm x 26.2 mm x 53.6 mm https://www.brumberg.com/fileadmin/products/Datenblatt_88483180_2021_DE.pdf
Article no.: 88488600 Stabilizing plate only for high 48 V track Dimensions: 80 mm x 22.7 mm x 5.9 mm https://www.brumberg.com/fileadmin/products/Datenblatt_88488600_2021_DE.pdf
Article no.: 88488000 Ceiling mounting for 48 V track Dimensions: 57 mm x 28.8 mm x 5.5 mm https://www.brumberg.com/fileadmin/products/Datenblatt_88488000_2021_DE.pdf
Article no.: 88484080 L-connector 90° to 48 V track Dimensions: 105 mm x 105 mm x 18.7 mm https://www.brumberg.com/fileadmin/products/Datenblatt_88484080_2021_DE.pdf
Article no.: 88484180 Flexible connector for 48 V track Dimensions: 274 mm https://www.brumberg.com/fileadmin/products/Datenblatt_88484180_2021_DE.pdf
Article no.: 88484280 Final power supply to 48 V track Dimensions: 112 mm https://www.brumberg.com/fileadmin/products/Datenblatt_88484280_2021_DE.pdf
Article no.: 88484380 Electrical connector for 48 V track Dimensions: 105 mm https://www.brumberg.com/fileadmin/products/Datenblatt_88484380_2021_DE.pdf
Article no.: 88489180 Corner connector 90° Dimensions: 53 mm x 53.2 mm x 53.6 mm https://www.brumberg.com/fileadmin/products/Datenblatt_88489180_2021_DE.pdf
Article no.: 88498280 Plastic T-connector for 48 V track, 88488180, 88488280 and 88488380 Dimensions: 78 mm x 53.2 mm x 53.6 mm https://www.brumberg.com/fileadmin/products/Datenblatt_88498280_2021_DE.pdf

High 48 V track

Article no. 88488280

Optional accessories

Article no.: 88498380

Plastic X-connector for 48 V track, 88488180, 88488280 and 88488380

Dimensions: 78 mm x 78 mm x 53.6 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88498380_2021_DE.pdf

Article no.: 88484480

Flexible T-connector for 48 V track

Dimensions: 278 mm x 147 mm x 18.7 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88484480_2021_DE.pdf

Article no.: 88484580

Flexible X-connector for 48 V track

Dimensions: 278 mm x 278 mm x 18.7 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88484580_2021_DE.pdf

Article no.: 17480100

LED converter for 48 V track system

Leistung: 100 W

Dimensions: 298 mm x 16 mm x 19 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_17480100_2021_DE.pdf

Article no.: 17480200

LED converter for 48 V track system

Leistung: 250 W

Dimensions: 268 mm x 22 mm x 43.5 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_17480200_2021_DE.pdf

Article no.: 81107000

Track pliers

https://www.brumberg.com/fileadmin/products/Datenblatt_81107000_2021_DE.pdf

Article no.: 88487580

Blank cover suitable for 88488xxx

Dimensions: 3,000 mm x 24.6 mm x 5 mm

https://www.brumberg.com/fileadmin/products/Datenblatt_88487580_2021_DE.pdf